


according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024

Version number 2410 (replaces version 2305)

Revision: 08.10.2024





according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024 Version number 2410 (replaces version 2305)

Revision: 08.10.2024

## Trade name: MANNOL 7901 Chain Lube 200ml

	(Contd. of page 1)
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P301+P3	10 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P410+P4	12 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other	r hazards
· Results o	of PBT and vPvB assessment
· PBT: Not	applicable.
· vPvB:	
64742-94	-5 Solvent naphtha (petroleum), heavy arom.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:	
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	40–47%
EINECS: 265-198-5	Asp. Tox. 1, H304 vPvB	
CAS: 106-97-8	butane, pure	10–22%
EINECS: 203-448-7	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
CAS: 74-98-6	propane	1–9%
EINECS: 200-827-9	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
· Not dangerous sub	stances	
CAS: 68153-81-1 EINECS: 268-896-8	Grease	15–22%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2. Do not use water.

(Contd. on page 3)

IE



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024 Version number 2410 (replaces version 2305)

Revision: 08.10.2024

## Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 2) (Contd. of page 2) Use fire extinguishing methods suitable to surrounding conditions.

Foam Fire extinguishing

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Wear protective clothing.

- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
 • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

· Requirements to be met by storerooms and receptacles:

- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 106-97-8 butane, pure (22.0%)

OEL Short-term value: 1000 ppm

74-98-6 propane (9.0%)

#### OEL Asphx

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024 Version number 2410 (replaces version 2305)

Revision: 08.10.2024

### Trade name: MANNOL 7901 Chain Lube 200ml

Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:

(Contd. of page 3)

#### • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

• **Respiratory protection:** Not required.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Not required.

## SECTION 9: Physical and chemical properties

<ul> <li>9.1 Information on basic physical and chen</li> <li>General Information</li> </ul>	nical properties	
	Disc	
· Colour:	Blue	
Odour:	Odourless	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
Boiling point or initial boiling point and		
boiling range	Not applicable, as aerosol.	
· Flammability	Not applicable.	
• Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable, as aerosol.	
Decomposition temperature:	Not determined.	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
<ul> <li>Partition coefficient n-octanol/water (log</li> </ul>		
value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
		(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024

Version number 2410 (replaces version 2305)

Revision: 08.10.2024

#### Trade name: MANNOL 7901 Chain Lube 200ml

	(Contd. of page 4)
· 9.2 Other information	
· Appearance:	
· Form:	Oily
· Important information on protection of hea	alth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Solvent content:	
Organic solvents:	11–31 %
VOC (EC)	11–31 %
Solids content:	0.0 %
· Change in condition	
· Evaporation rate	Not applicable.
<ul> <li>Information with regard to physical haza classes</li> <li>Explosives</li> </ul>	
· Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised
	container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
<sup>·</sup> Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
<ul> <li>Substances and mixtures, which emit</li> </ul>	
flammable gases in contact with water	Void
• Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours Carbon dioxide

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024 Version number

Version number 2410 (replaces version 2305)

Revision: 08.10.2024

#### Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 5)

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

#### Aspiration hazard

- May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB:

64742-94-5 Solvent naphtha (petroleum), heavy arom.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

HP3 Flammable

(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024

Version number 2410 (replaces version 2305)

Revision: 08.10.2024

## Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 6)

## · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.	SECTION 14: Transport information	
ADR       1950 AEROSOLS AEROSOLS         IMTA       AEROSOLS, flammable         1413 Transport hazard class(es)       ADR         ADR       .         Class       2 5F Gases.         Label       2.1         IMDG, IATA       .         Class       2.1 Gases.         Label       2.1         IMDG, IATA		UN1950
ADR Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 Gases. Label 2.1 IMDG, IATA Class 2.1 Gases. Label 2.1 I.4.4 Packing group ADR, IMDG, IATA III I.4.5 Environmental hazards: Not applicable. I.4.6 Special precautions for user Hazard identification number (Kemler code): 23 EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW2 Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capac of 1 litre: Segregation as for class 9. Stow "separated fror class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.	· ADR · IMDG	AEROSOLS
Class 25F Gases. Label 2.1  IMDG, IATA  Class 2.1 Gases.  Label 2.1  Class	· 14.3 Transport hazard class(es)	
Label       2.1         IMDG, IATA       IMDG, IATA         Impose       2.1 Gases.         Label       2.1         '14.4 Packing group       2.1         ADR, IMDG, IATA       III         '14.5 Environmental hazards:       Not applicable.         '14.6 Special precautions for user       Warning: Gases.         'Hazard identification number (Kemler code):       23         'EMS Number:       F-D,S-U         'Stowage Code       SW1 Protected from sources of heat.         SW2 Clear of living quarters.       SG69 For AEROSOLS with a maximum capac of 1 litre:         Segregation Code       SG69 For AEROSOLS with a capacity above 1 litre:         Segregation as for the appropriate subdivision class 2.       For WASTE AEROSOLS:         Segregation as for the appropriate subdivision class 2.       For WASTE AEROSOLS:	ADR	
<ul> <li>IMDG, IATA</li> <li>Class</li> <li>Class</li> <li>Label</li> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> <li>III</li> <li>14.5 Environmental hazards:</li> <li>Not applicable.</li> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code): 23</li> <li>EMS Number:</li> <li>F-D,S-U</li> <li>Stowage Code</li> <li>Segregation Code</li> <li>Segregation Code</li> <li>Segregation as for class 9. Stow "separated from class 1 except for division 1.4.</li> <li>For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2.</li> <li>For WASTE AEROSOLS:</li> <li>Segregation as for the appropriate subdivision class 2.</li> </ul>		
• Class       2.1 Gases.         • Label       2.1         • 14.4 Packing group       2.1         • ADR, IMDG, IATA       III         • 14.5 Environmental hazards:       Not applicable.         • 14.6 Special precautions for user       Warning: Gases.         • Hazard identification number (Kemler code):       23         • EMS Number:       F-D,S-U         • Stowage Code       SW1 Protected from sources of heat.         • SW2 Clear of living quarters.       SG69 For AEROSOLS with a maximum capace of 1 litre:         • Segregation Code       SG69 For AEROSOLS with a capacity above 1 litre:         • Segregation as for the appropriate subdivision class 2.       For WASTE AEROSOLS:         • For WASTE AEROSOLS:       Segregation as for the appropriate subdivision class 2.		2.1
Label       2.1         14.4 Packing group		
· ADR, IMDG, IATA       III         · 14.5 Environmental hazards:       Not applicable.         · 14.6 Special precautions for user       Warning: Gases.         · Hazard identification number (Kemler code): 23       F-D,S-U         · EMS Number:       F-D,S-U         · Stowage Code       SW1 Protected from sources of heat. SW2 Clear of living quarters.         · Segregation Code       SG69 For AEROSOLS with a maximum capacion of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.	·Label	
14.6 Special precautions for user       Warning: Gases.         Hazard identification number (Kemler code): 23       F-D,S-U         EMS Number:       F-D,S-U         Stowage Code       SW1 Protected from sources of heat. SW2 Clear of living quarters.         Segregation Code       SG69 For AEROSOLS with a maximum capace of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.		III
<ul> <li>Hazard identification number (Kemler code): 23</li> <li>EMS Number:</li> <li>Stowage Code</li> <li>SW1 Protected from sources of heat. SW2 Clear of living quarters.</li> <li>Segregation Code</li> <li>Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.</li> </ul>	· 14.5 Environmental hazards:	Not applicable.
· 14.7 Maritime transport in bulk according to	Hazard identification number (Kemler code): EMS Number: Stowage Code	<ul> <li>23</li> <li>F-D,S-U</li> <li>SW1 Protected from sources of heat.</li> <li>SW2 Clear of living quarters.</li> <li>SG69 For AEROSOLS with a maximum capacit of 1 litre:</li> <li>Segregation as for class 9. Stow "separated from class 1 except for division 1.4.</li> <li>For AEROSOLS with a capacity above 1 litre:</li> <li>Segregation as for the appropriate subdivision of class 2.</li> <li>For WASTE AEROSOLS:</li> <li>Segregation as for the appropriate subdivision of class 2.</li> </ul>
IMO instruments Not applicable.	• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable. (Contd. on page



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024

Version number 2410 (replaces version 2305)

Revision: 08.10.2024

Trade name: MANNOL 7901 Chain Lube 200ml

	(Contd. of page 7
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
,	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, III

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

· Department issuing SDS: Product safety department.

Е



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2024 Version number 2410 (replaces version 2305)

Revision: 08.10.2024

### Trade name: MANNOL 7901 Chain Lube 200ml

	(Co	ontd. of pag
D	ate of previous version: 24.05.2023	
٧	ersion number of previous version: 2305	
A	obreviations and acronyms:	
th	R: Accord relatif au transport international des marchandises dangereuses par route (European Agreeme International Carriage of Dangerous Goods by Road)	ent Concerr
	DG: International Maritime Code for Dangerous Goods FA: International Air Transport Association	
	IS: Globally Harmonised System of Classification and Labelling of Chemicals	
	NECS: European Inventory of Existing Commercial Chemical Substances	
	INCS: European List of Notified Chemical Substances	
С	S: Chemical Abstracts Service (division of the American Chemical Society)	
V	DC: Volatile Organic Compounds (USA, EU)	
	50: Lethal concentration, 50 percent	
	50: Lethal dose, 50 percent	
	T: Persistent, Bioaccumulative and Toxic	
	vB: very Persistent and very Bioaccumulative	
	m. Gas 1A: Flammable gases – Category 1A	
	rosol 1: Aerosols – Category 1	
	ess. Gas (Comp.): Gases under pressure – Compressed gas	
	p. Tox. 1: Aspiration hazard – Category 1	
. *	Data compared to the previous version altered.	