<4.0%

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

P102 Keep out of reach of children. P273 Avoid release to the environment.

Results of PBT and vPvB assessment

EC number: 933-844-1 ACRYLIC COPOLYMER

Irrit. 2, H315

SECTION 3: Composition/information on ingredients

· Description: Mixture of substances listed below with nonhazardous additions.

P391 Collect spillage.

regulations. • 2.3 Other hazards

Dangerous components:

• PBT: Not applicable.
• vPvB: Not applicable.

· 3.2 Mixtures

Version number 1

Revision: 08.01.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID
 Article number: MN8990 UFI: HUVS-M0PM-N00F-8T56 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Lubricant
 • 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt
 Further information obtainable from: Product safety department. 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 Void • Hazard pictograms Void • Signal word Void • Hazard statements Void • Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P501 Dispose of contents/container in accordance with local/regional/national/international

Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

	(Contd.	of page 1)
· Not dangerous sub	ostances	
CAS: 64742-62-7 EINECS: 265-166-0	Residual oils (petroleum), solvent-dewaxed	86.0%
CAS: 64742-46-7 EINECS: 265-148-2	Distillates (petroleum), hydtrotreated middle	<9.0%
CAS: 68411-46-1 EINECS: 270-128-1	Benzenamine, N-Phenyl-, reaction products with 2,4,4-TRI- Methylpentene Aquatic Chronic 3, H412	<0.4%
	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4- hydroxyphenyl)propionate Aquatic Chronic 4, H413	<0.1%
· Additional informat	tion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Foam

Fire-extinguishing powder

- Sand
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Particular danger of slipping on leaked/spilled product.
 Wear protective clothing.

 6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

⁻ IE

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

Dispose contaminated material as waste according to section 13.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

(Contd. on page 4)



(Contd. of page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

(Contd. of page 3)

9.1 Information on basic physical and chei	mical properties
General Information	· ·
Physical state	Liquid
Colour:	Dark green
Odour:	Specific type
Odour threshold:	Not determined.
Melting point/freezing point:	-51 °C
Boiling point or initial boiling point and	
boiling range	>350 °C
Flammability	Not applicable.
Lower and upper explosion limit	••
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>90 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	16–24 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	actorninou.
Density at 20 °C:	0.83 g/cm³
Relative density	Not determined.
Bulk density:	830 kg/m ³
Vapour density	Not determined.
9.2 Other information	
Appearance: Form:	Liquid
Important information on protection of hea	Liquid
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
• •	
Explosive properties:	Product does not present an explosion hazard.
Solvent content: VOC (EC)	0.00 %
Change in condition	0.00 /0
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

		(Contd. of page 4)
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide

Aldehyde Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)					
	LD50	>12,500 mg/kg			
	LD50	>12,500 mg/kg >27,500 mg/kg			
Inhalative	LC50/4 h	>37.5 mg/l			

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- $^{\cdot}$ 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion	
 · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA 	not regulated	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	not regulated	
 14.4 Packing group ADR, IMDG, IATA 	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
[·] 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.	
· UN "Model Regulation":	not regulated	

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H332 Harmful if inhaled.
- H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- **Department issuing SDS:** Product safety department.
- · Contact: Mrs. Zubaite
- · Date of previous version: 26.02.2024

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 4: Acute toxicity – Category 4

IE



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.02.2025

Version number 1

Revision: 08.01.2025

(Contd. of page 7)

Trade name: MANNOL 8990 CENTRAL HYDRAULIC FLUID

Skin Irrit. 2: Skin corrosion/irritation – Category 2

* * Data compared to the previous version altered.