

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

**Product name** : QUARTZ 9000 ENERGY 0W-30  
**Product code** : 35930  
**Product description** : Not available.  
**Product type** : Liquid.  
**Other means of identification** : Not available.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Motor oil

#### Uses advised against

Not applicable.

### 1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants  
562 Avenue du Parc de L'île  
92029 Nanterre Cedex FRANCE  
Tél: +33 (0)1 41 35 40 00  
Fax: +33 (0)1 41 35 84 71  
[m.msds-lubs@totalenergies.com](mailto:m.msds-lubs@totalenergies.com)

TotalEnergies Marketing UK Limited  
10 Upper Bank Street (19th floor)  
Canary Wharf,  
London E14 5BF  
UNITED KINGDOM  
Tel: +44 (0)20 7339 8000  
Fax: +44 (0)20 7339 8033  
[m.gb-msds@totalenergies.com](mailto:m.gb-msds@totalenergies.com)

H.S.E

### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

**Telephone number** : National Poisons Information Service (NPIS): 111

#### Supplier

**Telephone number** : Emergency telephone: +44 1235 239670

**Hours of operation** : Edit the content of sentence <GB Telephone Number - Supplier - Hours of operation> to define this output

**Information limitations** : Edit the content of sentence <GB Telephone Number - Supplier - Information limitations> to define this output

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Product definition** : Mixture**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

**Ingredients of unknown ecotoxicity** : Contains 24.2% of components with unknown hazards to the aquatic environment

See Section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements****Signal word** : No signal word.**Hazard statements** : No known significant effects or critical hazards.**Precautionary statements****General** : P101 - If medical advice is needed, have product container or label at hand.**Prevention** : Not applicable.**Response** : Not applicable.**Storage** : Not applicable.**Disposal** : Not applicable.**Supplemental label elements** : Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. Safety data sheet available on request.**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.**2.3 Other hazards****Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration  $\geq 0,1$  %.  
This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.**Other hazards which do not result in classification** : Hazard of slipping on spilt product.**SECTION 3: Composition/information on ingredients****3.2 Mixtures** : Mixture

## SECTION 3: Composition/information on ingredients

| Product/ingredient name  | Identifiers   | %         | Classification  | Type |
|--|---|-----------|---|------|
| <input checked="" type="checkbox"/> sec-1-ene, trimers, hydrogenated | REACH #:<br>01-2119493949-12<br>EC: 500-393-3<br>CAS: 157707-86-3                       | ≥25 - ≤50 | Asp. Tox. 1, H304   | [1]  |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | REACH #:<br>01-2119474889-13<br>EC: 276-738-4<br>CAS: 72623-87-1<br>Index: 649-483-00-5 | ≥10 - ≤25 | Asp. Tox. 1, H304   | [1]  |
| Distillates (petroleum), hydrotreated heavy paraffinic               | REACH #:<br>01-2119484627-25<br>EC: 265-157-1<br>CAS: 64742-54-7<br>Index: 649-467-00-8 | ≤5        | Asp. Tox. 1, H304   | [1]  |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | REACH #:<br>01-2119474878-16<br>EC: 276-737-9<br>CAS: 72623-86-0<br>Index: 649-482-00-X | ≤3        | Asp. Tox. 1, H304   | [1]  |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic            | REACH #:<br>01-2119471299-27<br>EC: 265-169-7<br>CAS: 64742-65-0<br>Index: 649-474-00-6 | ≤3        | Asp. Tox. 1, H304   | [1]  |
| Distillates (petroleum), solvent-dewaxed light paraffinic            | REACH #:<br>01-2119480132-48<br>EC: 265-159-2<br>CAS: 64742-56-9<br>Index: 649-469-00-9 | ≤3        | Asp. Tox. 1, H304   | [1]  |
| C14-16-18 Alkyl phenol   | REACH #:<br>01-2119498288-19<br>EC: 931-468-2   | ≤3        | Skin Sens. 1B, H317<br>STOT RE 2, H373                                      | [1]  |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | REACH #:<br>01-2119543726-33<br>EC: 298-577-9<br>CAS: 93819-94-4                        | <2.5      | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411          | [1]  |
| Paraffin oils (petroleum), catalytic dewaxed heavy                   | REACH #:<br>01-2119487080-42<br>EC: 265-174-4<br>CAS: 64742-70-7                        | ≤3        | Asp. Tox. 1, H304   | [1]  |
|  |   |           | <b>See Section 16 for the full text of the H statements declared above.</b> |      |

**Additional information** : Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

**SECTION 3: Composition/information on ingredients****SECTION 4: First aid measures****4.1 Description of first aid measures**

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

**4.2 Most important symptoms and effects, both acute and delayed****Over-exposure signs/symptoms**

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
irritation  
dryness  
cracking
- Ingestion** : No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

**5.2 Special hazards arising from the substance or mixture**

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.

**SECTION 5: Firefighting measures**

**Hazardous combustion products** :  Carbon monoxide  
 Carbon dioxide  
 Phosphorus oxides  
 Sulfur oxides  
 Hydrogen sulfide  
 Mercaptans  
 Zinc oxides

**5.3 Advice for firefighters**

**Special protective actions for fire-fighters** :  Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** :  Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel** :  No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders** :  Specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions**

:  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3 Methods and material for containment and cleaning up**

**Small spill** :  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill** :  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**6.4 Reference to other sections**

: See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.



## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**Advisory OEL** : Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

#### DNELs/DMELs

| Product/substance  | Type | Exposure             | Value                  | Population         | Effects  |
|--|------|----------------------|------------------------|--------------------|----------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
|  | DNEL | Long term Oral       | 0.74 mg/kg bw/day      | General population | Local    |
|  | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
|  | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term Oral       | 0.74 mg/               | General            | Systemic |



## SECTION 8: Exposure controls/personal protection

|  |      |                      |                        |                    |          |
|--|------|----------------------|------------------------|--------------------|----------|
| Distillates (petroleum), hydrotreated heavy paraffinic               | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 1.19 mg/m <sup>3</sup> | General population | Local    |
|  | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
|  | DNEL | Long term Oral       | 0.74 mg/kg bw/day      | General population | Systemic |
|  | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 1.19 mg/m <sup>3</sup> | General population | Local    |
|  | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
|  | DNEL | Long term Inhalation | 5.4 mg/m <sup>3</sup>  | Workers            | Local    |
|  | DNEL | Long term Inhalation | 1.2 mg/m <sup>3</sup>  | General population | Local    |
|  | DNEL | Long term Oral       | 0.74 mg/kg bw/day      | General population | Systemic |
|  | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 1.19 mg/m <sup>3</sup> | General population | Local    |
|  | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic            | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
|  | DNEL | Long term Inhalation | 1.19 mg/m <sup>3</sup> | General population | Local    |
|  | DNEL | Long term Oral       | 740 µg/kg              | General population | Systemic |
|  | DNEL | Long term Dermal     | 970 µg/kg              | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
|  | DNEL | Long term Oral       | 0.74 mg/kg bw/day      | General population | Systemic |
|  | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 1.19 mg/m <sup>3</sup> | General population | Local    |
| Distillates (petroleum), solvent-dewaxed light paraffinic            | DNEL | Long term Inhalation | 2.73 mg/m <sup>3</sup> | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 5.58 mg/m <sup>3</sup> | Workers            | Local    |
|  | DNEL | Long term Oral       | 0.74 mg/kg bw/day      | General population | Systemic |
|  | DNEL | Long term Dermal     | 0.97 mg/kg bw/day      | Workers            | Systemic |
|  | DNEL | Long term            | 1.19 mg/m <sup>3</sup> | General            | Local    |





## SECTION 8: Exposure controls/personal protection

|  |      |                         |                        |                       |          |
|--|------|-------------------------|------------------------|-----------------------|----------|
| C14-16-18 Alkyl phenol   | DNEL | Inhalation<br>Long term | 2.73 mg/m <sup>3</sup> | population<br>Workers | Systemic |
|  | DNEL | Inhalation<br>Long term | 5.58 mg/m <sup>3</sup> | Workers               | Local    |
|  | DNEL | Inhalation<br>Long term | 1.17 mg/m <sup>3</sup> | Workers               | Systemic |
|  | DNEL | Inhalation<br>Long term | 0.3 mg/kg<br>bw/day    | Workers               | Systemic |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) | DNEL | Long term Oral          | 0.24 mg/<br>kg bw/day  | General<br>population | Systemic |
|  | DNEL | Long term Dermal        | 0.29 mg/<br>kg bw/day  | General<br>population | Systemic |
|  | DNEL | Long term Dermal        | 0.58 mg/<br>kg bw/day  | Workers               | Systemic |
|  | DNEL | Long term<br>Inhalation | 2.11 mg/m <sup>3</sup> | General<br>population | Systemic |
| Paraffin oils (petroleum), catalytic<br>dewaxed heavy                | DNEL | Long term<br>Inhalation | 8.31 mg/m <sup>3</sup> | Workers               | Systemic |
|  | DNEL | Long term Oral          | 0.74 mg/<br>kg bw/day  | General<br>population | Systemic |
|  | DNEL | Long term Dermal        | 0.97 mg/<br>kg bw/day  | Workers               | Systemic |
|  | DNEL | Long term<br>Inhalation | 1.19 mg/m <sup>3</sup> | General<br>population | Local    |
|  | DNEL | Long term<br>Inhalation | 2.73 mg/m <sup>3</sup> | Workers               | Systemic |
|  | DNEL | Long term<br>Inhalation | 5.58 mg/m <sup>3</sup> | Workers               | Local    |

### PNECs

| Product/substance   | Compartment Detail  | Value                | Method Detail |   |
|---|---|----------------------|---------------|---|
| Distillates (petroleum), hydrotreated heavy<br>paraffinic<br>Distillates (petroleum), solvent-dewaxed<br>heavy paraffinic<br>C14-16-18 Alkyl phenol | Secondary Poisoning   | 9.33 mg/kg           | -             |   |
|   | Secondary Poisoning   | 9.33 mg/kg           | -             |   |
|   | Fresh water   | 0.1 mg/l             | -             |   |
|   | Marine water  | 0.01 mg/l            | -             |   |
|   | Fresh water sediment  | 4266.16 mg/kg        | -             |   |
|   | Marine water sediment   | 426.62 mg/kg dwt     | -             |   |
|   | Soil  | 852.58 mg/kg dwt     | -             |   |
|   | Sewage Treatment<br>Plant   | 100 mg/l             | -             |   |
|   | zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)]<br>bis(dithiophosphate) | Fresh water          | 0.004 mg/l    | - |
|   |   | Marine water         | 0.0046 mg/l   | - |
| Fresh water sediment  |   | 0.0116 mg/kg dwt     | -             |   |
| Marine water sediment   |   | 0.00116 mg/kg<br>dwt | -             |   |
| Soil  |   | 0.00528 mg/kg        | -             |   |
| Sewage Treatment<br>Plant   |   | 100 mg/l             | -             |   |
| Secondary Poisoning   | 10.67 mg/kg dwt   | -                    |               |   |

### 8.2 Exposure controls





## SECTION 8: Exposure controls/personal protection

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. EN 166

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hydrocarbon-proof gloves  
nitrile rubber  
Fluorinated rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** : Liquid. [Clear]

**Colour** : Yellow.

**Odour** : Characteristic.

**SECTION 9: Physical and chemical properties**

|   |  |
|---|--|
| <b>Odour threshold</b>                              | : Not available.   |
| <b>Melting point/freezing point</b>                 | : <input checked="" type="checkbox"/> Technically not possible to measure                  |
| <b>Initial boiling point and boiling range</b>      | : <input checked="" type="checkbox"/> 316°C (>600.8°F) [ISO 3405]                          |
| <b>Flammability (solid, gas)</b>                    | : <input checked="" type="checkbox"/> Not applicable.                                      |
| <b>Upper/lower flammability or explosive limits</b> | : <input checked="" type="checkbox"/> Lower: 0.9%<br>Upper: 7%                             |
| <b>Flash point</b>                                  | : Open cup: 226°C (438.8°F) [ASTM D 92]  |
| <b>Auto-ignition temperature</b>                    | : <input checked="" type="checkbox"/> Not applicable.                                      |
| <b>Decomposition temperature</b>                    | : <input checked="" type="checkbox"/> Not applicable.                                      |
| <b>pH</b>   | : Not applicable. <input checked="" type="checkbox"/> Product is non-soluble (in water).   |
| <b>Viscosity</b>                                    | : <input checked="" type="checkbox"/> Kinematic (40°C): 68.7 mm <sup>2</sup> /s [ISO 3104] |
| <b>Solubility(ies)</b>                              | :  |

| Media                                     | Result      |
|---|-------------|
| <input checked="" type="checkbox"/> Water | Not soluble |

|  |   |
|--|---|
| <b>Miscible with water</b>                     | : <input checked="" type="checkbox"/> No.   |
| <b>Partition coefficient: n-octanol/ water</b> | : <input checked="" type="checkbox"/> Not applicable.   |
| <b>Vapour pressure</b>                         | : <input checked="" type="checkbox"/> 0.013 kPa (<0.1 mm Hg) [room temperature]<br>Not applicable. [50°C (122°F)] |
| <b>Relative density</b>                        | : <input checked="" type="checkbox"/> 0.831 to 0.851 [ISO 12185]  |
| <b>Density</b>                                 | : <input checked="" type="checkbox"/> 0.831 to 0.851 g/cm <sup>3</sup> [15°C (59°F)] [ISO 12185]                  |
| <b>Vapour density</b>                          | : <input checked="" type="checkbox"/> 2 [Air = 1]   |
| <b>Particle characteristics</b>                |   |
| <b>Median particle size</b>                    | : <input checked="" type="checkbox"/> Not applicable.   |

**9.2 Other information**

No other relevant physical and chemical parameters for the safe use of the product

**SECTION 10: Stability and reactivity**

|  |   |
|--|---|
| <b>10.1 Reactivity</b>                         | : <input checked="" type="checkbox"/> No specific test data related to reactivity available for this product or its ingredients.        |
| <b>10.2 Chemical stability</b>                 | : <input checked="" type="checkbox"/> Stable under recommended storage and handling conditions (see Section 7).                         |
| <b>10.3 Possibility of hazardous reactions</b> | : <input checked="" type="checkbox"/> Under normal conditions of storage and use, hazardous reactions will not occur.                   |
| <b>10.4 Conditions to avoid</b>                | : <input checked="" type="checkbox"/> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking. |
| <b>10.5 Incompatible materials</b>             | : <input checked="" type="checkbox"/> Strong oxidising agents   |

**SECTION 10: Stability and reactivity**

**10.6 Hazardous decomposition products** : Carbon monoxide  
carbon dioxide  
phosphorus oxides  
sulfur oxides  
Hydrogen sulfide  
Mercaptans  
Zinc oxides

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

| Product/substance   | Result                          | Species               | Dose        | Exposure | Test                    |
|---|---------------------------------|-----------------------|-------------|----------|-------------------------|
| Dec-1-ene, trimers, hydrogenated                                      | LC50 Inhalation Vapour          | Rat                   | 1.17 mg/l   | 4 hours  | OECD 403                |
|   | LC50 Inhalation Vapour          | Rat                   | 0.9 mg/l    | 4 hours  | OECD 403                |
|   | LC50 Inhalation Vapour          | Rat                   | 1.4 mg/l    | 4 hours  | OECD 403                |
|   | LD50 Dermal                     | Rat                   | >3000 mg/kg | -        | OECD 402                |
|   | LD50 Oral                       | Rat                   | >5000 mg/kg | -        | OECD 401                |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based  | LC50 Inhalation Dusts and mists | Rat                   | 5.1 mg/l    | 4 hours  | OECD 403                |
|   | LD50 Dermal                     | Rabbit - Male, Female | >5000 mg/kg | -        | OECD 402<br>Read across |
|   | LD50 Oral                       | Rat - Male, Female    | >5000 mg/kg | -        | OECD 401<br>Read across |
| Distillates (petroleum), hydrotreated heavy paraffinic                | LC50 Inhalation Dusts and mists | Rat - Male, Female    | >5 mg/l     | 4 hours  | OECD 403<br>Read across |
|   | LD50 Dermal                     | Rabbit - Male, Female | >5000 mg/kg | -        | OECD 402<br>Read across |
|   | LD50 Oral                       | Rat - Male, Female    | >5000 mg/kg | -        | OECD 401<br>Read across |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based  | LC50 Inhalation Dusts and mists | Rat                   | 5.53 mg/l   | 4 hours  | OECD 403                |
|   | LD50 Dermal                     | Rabbit                | >5000 mg/kg | -        | OECD 402                |
|   | LD50 Oral                       | Rat                   | >5000 mg/kg | -        | OECD 401                |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic             | LC50 Inhalation Dusts and mists | Rat                   | >5 mg/l     | 4 hours  | OECD 403                |
|   | LD50 Dermal                     | Rabbit                | >5000 mg/kg | -        | OECD 402                |
|   | LD50 Oral                       | Rat                   | >5000 mg/kg | -        | OECD 420                |
| Distillates (petroleum), solvent-dewaxed light paraffinic             | LC50 Inhalation Dusts and mists | Rat                   | >5 mg/l     | 4 hours  | OECD 403                |
|   | LD50 Dermal                     | Rabbit                | >5000 mg/kg | -        | OECD 402                |
|   | LD50 Oral                       | Rat                   | >5000 mg/kg | -        | OECD 401                |
| C14-16-18 Alkyl phenol  | LD50 Dermal                     | Rat                   | 2000 mg/kg  | -        | -                       |
|   | LD50 Oral                       | Rat                   | 2000 mg/kg  | -        | -                       |
|   | LC50 Inhalation Dusts and mists | Rat - Male            | >2 mg/l     | 1 hours  | OECD 403                |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | LD50 Dermal                     | Rabbit - Male, Female | >3160 mg/kg | -        | OECD 402                |
|   | LD50 Oral                       | Rat - Male            | 2600 mg/kg  | -        | -                       |

**SECTION 11: Toxicological information**

|  |                                 |        |             |         |   |
|--|---------------------------------|--------|-------------|---------|---|
| Paraffin oils (petroleum), catalytic dewaxed heavy | LC50 Inhalation Dusts and mists | Rat    | 5.1 mg/l    | 4 hours | - |
|  | LC50 Inhalation Vapour          | Rat    | 80.4 mg/l   | 1 hours | - |
|  | LC50 Inhalation Vapour          | Rat    | 20.1 mg/l   | 4 hours | - |
|  | LD50 Dermal                     | Rabbit | >5000 mg/kg | -       | - |
|  | LD50 Oral                       | Rat    | >5000 mg/kg | -       | - |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Acute toxicity estimates**

| Product/substance   | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based  | N/A          | N/A            | N/A                      | N/A                         | 5.1                                 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based  | N/A          | N/A            | N/A                      | N/A                         | 5.53                                |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | 2600         | N/A            | N/A                      | N/A                         | N/A                                 |
| Paraffin oils (petroleum), catalytic dewaxed heavy                    | N/A          | N/A            | N/A                      | 20.1                        | 5.1                                 |

**Irritation/Corrosion**

| Product/substance   | Result          | Species | Score | Exposure | Test     |
|---|-----------------|---------|-------|----------|----------|
| Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Eyes - Irritant | Rabbit  | -     | -        | -        |
|   | Skin - Irritant | Rabbit  | -     | 4 hours  | OECD 404 |

**Conclusion/Summary**

**Skin** : Based on available data, the classification criteria are not met.

**Eyes** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

**Sensitisation****Conclusion/Summary** :

**Skin** : Based on available data, the classification criteria are not met. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required Contains sensitizer. May produce an allergic reaction.

**Respiratory** : Based on available data, the classification criteria are not met.

**Mutagenicity**

| Product/substance   | Test     | Experiment  | Result   |
|---|----------|---|----------|
| Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | OECD 471 | Experiment: In vitro<br>Subject: Bacteria                         | Negative |
|   | OECD 474 | Experiment: In vivo<br>Subject: Mammalian-Animal<br>Cell: Somatic | Negative |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**SECTION 11: Toxicological information****Reproductive toxicity**

| Product/substance   | Maternal toxicity | Fertility | Developmental toxin | Species            | Dose | Exposure |
|---|-------------------|-----------|---------------------|--------------------|------|----------|
| <input checked="" type="checkbox"/> Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Negative          | Negative  | Negative            | Rat - Male, Female | Oral | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity**

| Product/substance   | Result          | Species            | Dose | Exposure |
|---|-----------------|--------------------|------|----------|
| <input checked="" type="checkbox"/> Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Negative - Oral | Rat - Male, Female | -    | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)**

Not available.

**Conclusion/Summary** :  Based on available data, the classification criteria are not met.

**Specific target organ toxicity (repeated exposure)**

| Product/substance   | Category   | Route of exposure | Target organs |
|---|------------|-------------------|---------------|
| <input checked="" type="checkbox"/> 14-16-18 Alkyl phenol | Category 2 | -                 | -             |

**Conclusion/Summary** :  Based on available data, the classification criteria are not met.

**Aspiration hazard**

| Product/substance  | Result   |
|--|--|
| <input checked="" type="checkbox"/> Dec-1-ene, trimers, hydrogenated<br>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based<br>Distillates (petroleum), hydrotreated heavy paraffinic<br>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based<br>Distillates (petroleum), solvent-dewaxed heavy paraffinic<br>Distillates (petroleum), solvent-dewaxed light paraffinic<br>Paraffin oils (petroleum), catalytic dewaxed heavy | ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1<br>ASPIRATION HAZARD - Category 1 |

**Conclusion/Summary** :  Based on available data, the classification criteria are not met.

**Information on likely routes of exposure** : Not available.

**Potential acute health effects**

- Eye contact** :  No known significant effects or critical hazards.
- Inhalation** :  No known significant effects or critical hazards.
- Skin contact** :  Defatting to the skin. May cause skin dryness and irritation.
- Ingestion** :  No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** :  No specific data.

**SECTION 11: Toxicological information**

- Inhalation** :  No specific data.
- Skin contact** :  Adverse symptoms may include the following:  
irritation  
dryness  
cracking
- Ingestion** :  No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Long term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Potential chronic health effects**

| Product/substance   | Result                   | Species               | Dose      | Exposure |
|---|--------------------------|-----------------------|-----------|----------|
| Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Sub-chronic LOAEL Dermal | Rabbit - Male, Female | 70 mg/kg  | -        |
|   | Sub-chronic NOAEL Oral   | Rat - Male, Female    | 160 mg/kg | -        |

- Conclusion/Summary** : Not available.
- General** :  No known significant effects or critical hazards.
- Carcinogenicity** :  During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.
- Mutagenicity** :  No known significant effects or critical hazards.
- Reproductive toxicity** :  No known significant effects or critical hazards.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

**11.2.2 Other information**





## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/substance  | Result                  | Species                                 | Exposure | Test     |
|--|-------------------------|---|----------|----------|
| Dec-1-ene, trimers, hydrogenated                                     | Acute EC50 >1000 mg/l   | Algae - Scenedesmus capricornutum       | 72 hours | OECD 201 |
|  | Acute EC50 >5002 ppm    | Daphnia - Americamysis bahia            | 96 hours | OECD 202 |
|  | Acute EC50 >150 mg/l    | Daphnia - Daphnia magna                 | 48 hours | -        |
|  | Acute NOEL 1000 mg/l    | Algae - Scenedesmus capricornutum       | 72 hours | OECD 201 |
|  | Acute NOEL 1000 mg/l    | Fish - Oncorhynchus mykiss              | 96 hours | -        |
|  | Chronic NOEL 125 mg/l   | Daphnia - Daphnia magna                 | 21 days  | OECD 211 |
|  | Acute EL50 >100 mg/l    | Algae - Pseudokirchneriella subcapitata | 48 hours | OECD 201 |
|  | Acute EL50 >10000 mg/l  | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute LL50 >100 mg/l    | Fish - Pimephales promelas              | 96 hours | OECD 203 |
|  | Chronic NOEL >100 mg/l  | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | OECD 211 |
|  | Acute EC50 >100 mg/l    | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
|  | Acute EC50 >10000 mg/l  | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Chronic NOEL >100 mg/l  | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
| Distillates (petroleum), hydrotreated heavy paraffinic               | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | -        |
|  | Acute EL50 >100 mg/l    | Algae - Pseudokircheriella subcapitata  | 72 hours | OECD 201 |
|  | Acute EL50 >10000 mg/l  | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute LL50 >1000 mg/l   | Fish - Pimephales promelas              | 96 hours | OECD 203 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | Chronic NOEL >100 mg/l  | Algae - Pseudokircheriella subcapitata  | 72 hours | OECD 201 |
|  | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | OECD 211 |
|  | Acute EL50 >10000 mg/l  | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute LL50 >1000 mg/l   | Fish - Oncorhynchus mykiss              | 96 hours | OECD 203 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic            | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | OECD 211 |
|  | Acute EL50 >10000 mg/l  | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute LL50 >1000 mg/l   | Fish - Oncorhynchus mykiss              | 96 hours | OECD 203 |
| Distillates (petroleum), solvent-dewaxed light paraffinic            | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | OECD 211 |
|  | Acute EL50 >100 mg/l    | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |





## SECTION 12: Ecological information

|  |                         |   |          |          |
|--|-------------------------|---|----------|----------|
| C14-16-18 Alkyl phenol zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | Acute EL50 10000 mg/l   | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute EL50 ≥100 mg/l    | Fish - Pimephales promelas              | 96 hours | OECD 203 |
|  | Chronic NOEL >100 mg/l  | Algae - Pseudokirchneriella subcapitata | 72 hours | OECD 201 |
|  | Chronic NOEL >1000 mg/l | Crustaceans - Daphnia magna             | 21 days  | OECD 211 |
|  | Acute EC50 >100 mg/l    | Daphnia - Daphnia magna                 | 48 hours | OECD 202 |
|  | Acute EC50 2 mg/l       | Algae - Selenastrum capricornutum       | 96 hours | OECD 201 |
|  | Acute EC50 5.4 mg/l     | Crustaceans - Daphnia magna             | 48 hours | OECD 202 |
|  | Acute LC50 4.5 mg/l     | Fish - Oncorhynchus mykiss              | 96 hours | OECD 203 |
|  | Chronic NOEC 1 mg/l     | Algae - Selenastrum capricornutum       | 96 hours | OECD 201 |
|  | Chronic NOEC 0.4 mg/l   | Crustaceans - Daphnia magna             | 48 hours | OECD 211 |
| Paraffin oils (petroleum), catalytic dewaxed heavy   | Acute EC50 10000 mg/l   | Daphnia                                 | 48 hours | -        |
|  | Acute NOEL 101 mg/l     | Algae - Pseudokirchneriella subcapitata | 72 hours | -        |

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

| Product/substance   | Test      | Result                       | Dose | Inoculum         |
|---|-----------|------------------------------|------|------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based  | OECD 301F | 31 % - Not readily - 28 days | -    | Activated sludge |
| Distillates (petroleum), hydrotreated heavy paraffinic                | OECD 301F | 31 % - Not readily - 28 days | -    | Activated sludge |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based  | OECD 301F | 31 % - Not readily - 28 days | -    | Activated sludge |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic             | OECD 301F | 31 % - Not readily - 28 days | -    | Activated sludge |
| Distillates (petroleum), solvent-dewaxed light paraffinic             | OECD 301F | 31 % - Not readily - 28 days | -    | Activated sludge |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | OECD 301B | 0 % - Not readily - 28 days  | -    | Activated sludge |

**Conclusion/Summary** : Not available.

**SECTION 12: Ecological information**

| Product/substance   | Aquatic half-life | Photolysis | Biodegradability |
|---|-------------------|------------|------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based  | -                 | -          | Not readily      |
| Distillates (petroleum), hydrotreated heavy paraffinic                | -                 | -          | Not readily      |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based  | -                 | -          | Not readily      |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic             | -                 | -          | Not readily      |
| Distillates (petroleum), solvent-dewaxed light paraffinic             | -                 | -          | Not readily      |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | -                 | -          | Not readily      |
| Paraffin oils (petroleum), catalytic dewaxed heavy                    | -                 | -          | Not readily      |

**12.3 Bioaccumulative potential**

| Product/substance   | LogP <sub>ow</sub> | BCF | Potential |
|---|--------------------|-----|-----------|
| Dec-1-ene, trimers, hydrogenated                                      | >6.5               | -   | high      |
| Distillates (petroleum), hydrotreated heavy paraffinic                | >4                 | -   | high      |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based  | 6.1                | -   | high      |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic             | 9.2                | 260 | low       |
| Distillates (petroleum), solvent-dewaxed light paraffinic             | 3.1                | -   | low       |
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis (dithiophosphate) | 0.9                | -   | low       |

**12.4 Mobility in soil**

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

**Mobility in soil** : Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited.

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



## SECTION 12: Ecological information

### 12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** :  The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** :  Yes.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 13 02 06\*

#### Packaging

**Methods of disposal** :  The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** :  This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

|  | ADR/RID        | ADN            | IMDG           | ICAO/IATA      |
|--|----------------|----------------|----------------|----------------|
| <b>14.1 UN number or ID number</b>     | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.2 UN proper shipping name</b>    | -              | -              | -              | -              |
| <b>14.3 Transport hazard class(es)</b> | -              | -              | -              | -              |
| <b>14.4 Packing group</b>              | -              | -              | -              | -              |
|  |                |                |                |                |



## SECTION 14: Transport information

|                                   |     |     |     |     |
|-----------------------------------|-----|-----|-----|-----|
| <b>14.5 Environmental hazards</b> | No. | No. | No. | No. |
|-----------------------------------|-----|-----|-----|-----|

**14.6 Special precautions for user** : **Transport within user’s premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

## SECTION 15: Regulatory information

Not listed.

### Montreal Protocol

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

|  |  |
|--|--|
| <b>Australia inventory (AIC)</b>                   | : All components are listed or exempted.   |
| <b>Canada inventory</b>                            | : All components are listed or exempted.   |
| <b>China inventory (IECSC)</b>                     | : <input checked="" type="checkbox"/> All components are listed, exempted, or notified.  |
| <b>Europe inventory</b>                            | : <input checked="" type="checkbox"/> All components are listed or exempted.   |
| <b>Japan inventory</b>                             | : <input checked="" type="checkbox"/> <b>Japan inventory (CSCL)</b> : All components are listed or exempted.<br><b>Japan inventory (ISHL)</b> : All components are listed or exempted. |
| <b>New Zealand Inventory of Chemicals (NZIoC)</b>  | : All components are listed or exempted.   |
| <b>Philippines inventory (PICCS)</b>               | : All components are listed or exempted.   |
| <b>Korea inventory (KECI)</b>                      | : All components are listed or exempted.   |
| <b>Taiwan Chemical Substances Inventory (TCSI)</b> | : All components are listed or exempted.   |
| <b>Thailand inventory</b>                          | : Not determined.  |
| <b>Turkey inventory</b>                            | : Not determined.  |
| <b>United States inventory (TSCA 8b)</b>           | : <input checked="" type="checkbox"/> All components are listed or exempted.   |
| <b>Vietnam inventory</b>                           | : Not determined.  |

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

**15.2 Chemical safety assessment** :  This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
DMEL = Derived Minimal Effect Level  
EUH statement = CLP-specific Hazard statement  
N/A = Not available  
PBT = Persistent, Bioaccumulative and Toxic  
vPvB = Very Persistent and Very Bioaccumulative

## SECTION 16: Other information

PNEC = Predicted No Effect Concentration  
LC50 = Median lethal concentration  
LD50 = Median lethal dose  
OEL = Occupational Exposure Limit  
VOC = Volatile Organic Compound  
UVCB Substance of unknown or Variable composition, Complex reaction products or Biological material  
NOEC No Observed Effect Concentration  
QSAR = Quantitative Structure–Activity Relationship

### Procedure used to derive the classification

Not classified.

### Full text of abbreviated H statements

|      |  |
|------|--|
| H304 | May be fatal if swallowed and enters airways.                      |
| H315 | Causes skin irritation.  |
| H317 | May cause an allergic skin reaction.                               |
| H318 | Causes serious eye damage.   |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects.                   |

### Full text of classifications

|                   |   |
|-------------------|---|
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2                 |
| Asp. Tox. 1       | ASPIRATION HAZARD - Category 1                                  |
| Eye Dam. 1        | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1                  |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2                          |
| Skin Sens. 1B     | SKIN SENSITISATION - Category 1B                                |
| STOT RE 2         | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 |

**Date of printing** : 2022/10/31

**Date of issue/ Date of revision** : 2022/10/31

**Date of previous issue** : 2021/03/30

**Version** : 2

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.