

Material Safety Data Sheet

According to 1907/2006/EC, Article 31



Printing Date: 09 June 2020

Revision: 27 January 2017

(Page 1 of 4)

1 Identification of the substance/preparation and of the company/undertaking

Trade name: **linealube Synthetic Low SAPS 10W-40 E7**

Relevant identified uses of the substance or mixture and uses advised against:

- Use of the substance/mixture: Heavy Duty Diesel Engine Oil
- Use advised against: Do not use in any other application

Supplier:

Online Lubricants Ltd.
Unit 20, The IO Centre, Barking, London IG11 0DR
UK Tel. +44 (0) 208 507 0123

In case of emergency: **+44 (0) 208 507 0123**

2 Hazards identification

2.1 Classification of the substance or mixture

- CLP: Not Classified
- CHIP: Not hazardous according to current CHIP Regulations

2.2 Label elements

- Hazard statements: Not Classified
- Precautionary statements: None assigned

2.3 Other hazards

- A petroleum product. DMSO extract < 3 Weight % (IP 346). The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances. (1272/2008/EC ("CLP"), Annex VI, Note L)

3 Composition / Information on ingredients

3.1 Mixtures

Lubricating oils (petroleum), Base oil - unspecified

- CAS Number: 72623-87-1
- EC Number: 276-738-4
- REACH Registration Number:
- Concentration: 90-100%
- H Statements: Not Applicable

4 First-aid measures

4.1 Description of first aid measures

Inhalation: Do not breath Dust or Vapour. If inhaled and the vapour causes irritation to the nose or throat move the person to fresh air. If symptoms persist obtain medical attention.

Contact with eyes: If substance has got into eyes, immediately wash out with plenty of water for at least 15 Minutes Irrigate eyes thoroughly whilst lifting eyelids. When in doubt or symptoms persist, seek medical attention

Material Safety Data Sheet

According to 1907/2006/EC, Article 31



Printing Date: 09 June 2020

Revision: 27 January 2017

(Page 2 of 4)

Contact with skin: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. Seek medical attention if irritation persists

Ingestion:

- P331 - Do NOT induce vomiting.
- Seek medical advice if necessary

4.2 Most important symptoms and effects, both acute and delayed

- Can cause damage to the eyes and skin
- Causes nausea/vomiting

4.3 Indication of any immediate medical attention and special treatment needed

- Wash affected area with plenty of soap and water
- If you feel unwell, seek medical advice (show the label where possible)

5 Fire Fighting Measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- In case of fire use carbon dioxide or dry agent
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

- In case of fire, do not breathe fumes

5.3 Advice for firefighters

- Prevent run off water from entering drains if possible
- Wear Breathing Apparatus

6 Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8

6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Place in appropriate container
- Seal containers and label them
- To clean the floor and all objects contaminated by this material use water

6.4 Reference to other sections - See Section 8

7 Handling and Storage

7.1 Precautions for safe handling

- Avoid contact with skin and eyes
- Ensure adequate ventilation
- P412 - Do not expose to temperatures exceeding 50°C/ 122°F.
- P202 - Do not handle until all safety precautions have been read and understood.

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- P233 - Keep container tightly closed.

7.3 Specific end use(s) - See Section 1

Material Safety Data Sheet

According to 1907/2006/EC, Article 31



Printing Date: 09 June 2020

Revision: 27 January 2017

(Page 3 of 4)

8 Exposure controls/personal protection

8.1 Control parameters

Lubricating oils: Base oil

- WEL (long term) 5 mg/m³
- WEL (short term) 10 mg/m³

8.2 Exposure controls

- Provide sufficient general and local exhaust ventilation.
- Wear approved safety goggles if splashing is likely.
- Chemical resistant gloves (PVC).
- Wear protective clothing if splashing is likely.



9 Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- Appearance: Liquid, amber
- Odour: Mild
- Freezing point/Range: <-48 °C
- Boiling Point/Range: >150 °C
- Flashpoint: 230 °C
- Oxidising Properties: Not considered oxidising
- Explosive Properties: Considered stable under normal conditions
- Autoignition Temperature >300
- Vapour Pressure: Vapour pressure - not applicable
- Density: 0.8483
- Viscosity: 63.9
- Solubility in water: Insoluble in water.

9.2 Other information

- The figures in this section are for guidance only please always use them in conjunction with the technical data sheet.

10 Stability and Reactivity

10.1 Reactivity - No hazardous reactions known if used for its intended purpose

10.2 Chemical stability - Considered stable under normal conditions

10.3 Possibility of hazardous reactions - No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid - P412: Do not expose to temperatures exceeding 50°C/ 122°F.

10.5 Incompatible materials - Incompatible with strong oxidizing substances

10.6 Hazardous Decomposition Products - Decomposition products may include carbon oxides

11 Toxicological Information

11.1 Information on toxicological effects

- May cause drowsiness
- May cause sensitisation by inhalation and skin contact
- In cases of severe exposure, dermatitis may develop
- In cases of severe exposure, severe irritation may develop

12 Ecological Information

12.1 Toxicity - No information available

12.2 Persistence and degradability - May cause long-term adverse effects in the environment.

Material Safety Data Sheet

According to 1907/2006/EC, Article 31



Printing Date: 09 June 2020

Revision: 27 January 2017

(Page 4 of 4)

12.3 Bioaccumulation Potential - Bioaccumulation is significant

12.4 Mobility in soil - Insoluble in water

12.5 Results of PBT and vPvB assessment - Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects - May cause long-term adverse effects in the environment

13 Disposal Considerations

13.1 Waste treatment methods

- Dispose of this material and its container at hazardous or special waste collection point
- UK Waste Codes: 13 XX XX

14 Transport Information

14.1 UN Number:	Not applicable
14.2 UN Proper Shipping Name:	Not applicable
14.3 Transport hazard class(es):	Hazard Class: Not applicable
14.4 Packing group:	Not applicable
14.5 Environmental hazards:	Not Classified
14.6 Special precautions for user:	Not Classified

14.7 Transport in bulk according to Annex II of MARPOL and the IBC code: Not Classified

15 Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Supply regulations:

- DPD: Dangerous Preparations Directive.
- GHS: Globally Harmonised System of classification and labelling of chemicals.
- CLP: Classification, Labelling and Packaging regulations.
- Transport regulations: CDG: Carriage of Dangerous Goods regulations.
- ADR/RID/IMDG/ICAO/IATA regulations - Refer to current Health and Safety at Work Act

15.2 Chemical Safety Assessment

- A chemical safety assessment (CSA) for this product has not yet been completed

16 Other Information

Disclaimer

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process